

# **ATTACHMENT C**


**IAP** INC.

P.O. BOX 56  
PHILLIPS, WI 54556  
715/338-3024

# SUBMITTAL DATA

☒ OPEN RADIAL  
☐ TYPE P

**INDUSTRIAL EXHAUSTERS**  
Arrangement 1

CUSTOMER: Underwood Air Systems, Inc.

ROTATION  
DISCHARGE  
POSITIONS  
(Clockwise sho

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#	DATE	SALES OFFICE
1	2	VWA0870 / 890843	9/11/89	UAS
		FAN BLOWER SIZE	SWSI	EXTRA HD
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		CFM	S.P.	PERFORMANCE RPM
		34,000		
			BHP	DENSITY
				Std.
			DISCHARGE POSITION	ROTATION (viewed from drive side)
			STD SPEC	CLOCKWISE COUNTERCLOCKWISE
			<input checked="" type="checkbox"/> UB <input type="checkbox"/>	1 <input checked="" type="checkbox"/> 1 <input checked="" type="checkbox"/>
			TEMPERATURE	MAX OPERATING TEMPERATURE
			Std.	Std.

**SPECIAL INSTRUCTIONS**

YES ACCESSORIES

BOLTED HINGED RAISED

☐ ACCESS DOOR ☐ ☐ ☐

☐ DRAIN PLUG

☐ SPLIT HOUSING ☐ SPLIT BOX

FLANGED DRILL SCREEN BOX

☐ INLET ☐ ☐ ☐

EXTERNAL

☐ INLET VANE ☐

☒ FLANGED OUTLET ☐ DRILL

PARALLEL OPPOSED INLET OUTLET MANUAL AUTO

☐ DAMPER ☐ ☐ ☐ ☐ ☐

STANDARD HI-TEMP OTHER

☒ PAINT ☒ ☐ ☐

SHAFT BELT COUPLING

☐ GUARDS ☐ ☐ ☐

☐ PLUG COOLER

☐ SHAFT COOLING WHEEL

STANDARD GAS TIGHT

☐ SHAFT SEALS ☐ ☐

TYPE A B C

☐ SPARK RESISTANCE ☐ ☐ ☐

RIS SPRING W X Y Z

☐ INTERGAL BASE ☐ ☐ MOTOR POSITION ☐ ☐ ☐ ☐

☐ MOTOR SUPPLIED BY: IAP ☐ OTHERS ☐

MOUNTED BY: IAP ☐ OTHERS ☐

HP RPM DUTY ENCL FRAME

☐ DRIVE V-BELT ☐ C.S. ☐ ADJ ☐

☐ SILENCER ☐ ☐

☐ TRANSITIONS

☐ ROTABLE HOUSINGS

☐ FILTER BOXES


**CERTIFIED FOR CONSTRUCTION**

IAP, Inc.  
PHILLIPS, WISCONSIN

SEP 11 1989

DATE

BY



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden. IAP, Inc.


Up Blast  
CW 360

Top Angular U  
CW 45

Top Horizontal  
CW 90

Top Angular Dov  
CW 135

Down Blast  
CW 180

Bottom Angular Dov  
CW 225

Bottom Horizontal  
CW 270

Bottom Angular  
CW 315

FORM RP-1

**IAP**  
INC.P.O. BOX 58  
PHILLIPS, WI 54555  
715/338-3024**SUBMITTAL DATA**☒ OPEN RADIAL  
☐ TYPE PINDUSTRIAL EXHAUSTERS  
Arrangement 1

CUSTOMER:

Underwood Air Systems, Inc.

ROTATION  
DISCHARGE  
POSITIONS  
(Clockwise sho

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#		DATE	SALES OFFICE	
1	2	VWA0870 / 890843		9/11/89	UAS	
		FAN BLOWER SIZE	SWSI	EXTRA HD	HEAVY DUTY	DISCHARGE POSITION
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	STD <input checked="" type="checkbox"/> SPEC <input type="checkbox"/>
		CFM	S.P.	PERFORMANCE RPM	BHP	DENSITY
		34,000				Std.
				TEMPERATURE	MAX OPERATING TEMPERATURE	
				Std.		

YES ACCESSORIES SPECIAL INSTRUCTIONS

<input type="checkbox"/> ACCESS DOOR	<input type="checkbox"/> BOLTED	<input type="checkbox"/> HINGED	<input type="checkbox"/> RAISED
<input type="checkbox"/> DRAIN PLUG			
<input type="checkbox"/> SPLIT HOUSING	<input type="checkbox"/> SPLIT BOX		
<input type="checkbox"/> INLET	<input type="checkbox"/> FLANGED DRILL	<input type="checkbox"/> SCREEN BOX	<input type="checkbox"/>
<input type="checkbox"/> INLET VANE	<input type="checkbox"/> EXTERNAL		
<input checked="" type="checkbox"/> FLANGED OUTLET	<input type="checkbox"/> DRILL		
<input type="checkbox"/> DAMPER	<input type="checkbox"/> PARALLEL	<input type="checkbox"/> OPPOSED	<input type="checkbox"/> INLET
<input checked="" type="checkbox"/> PAINT	<input checked="" type="checkbox"/> STANDARD	<input type="checkbox"/> HI-TEMP	<input type="checkbox"/> OTHER
<input type="checkbox"/> GUARDS	<input type="checkbox"/> SHAFT	<input type="checkbox"/> BELT	<input type="checkbox"/> COUPLING
<input type="checkbox"/> PLUG COOLER			
<input type="checkbox"/> SHAFT COOLING WHEEL			
<input type="checkbox"/> SHAFT SEALS	<input type="checkbox"/> STANDARD	<input type="checkbox"/> GAS TIGHT	
<input type="checkbox"/> SPARK RESISTANCE	<input type="checkbox"/> TYPE A	<input type="checkbox"/> B	<input type="checkbox"/> C
<input type="checkbox"/> INTERGAL BASE	<input type="checkbox"/> RIS	<input type="checkbox"/> SPRING	<input type="checkbox"/> MOTOR POSITION
<input type="checkbox"/> MOTOR	SUPPLIED BY: IAP <input type="checkbox"/>		OTHERS <input type="checkbox"/>
	MOUNTED BY: IAP <input type="checkbox"/>		OTHERS <input type="checkbox"/>
<input type="checkbox"/> DRIVE	HP	RPM	DUTY
<input type="checkbox"/> SILENCER	V-BELT	<input type="checkbox"/> C.S.	<input type="checkbox"/> ENCL
<input type="checkbox"/> TRANSITIONS	INLET	OUTLET	FRAME
<input type="checkbox"/> ROTABLE HOUSINGS			
<input type="checkbox"/> FILTER BOXES			


CERTIFIED FOR CONSTRUCTION

IAP, Inc.  
PHILLIPS, WISCONSIN

SEP 11 1989

DATE

BY



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden.

IAP, Inc.

Up Blast  
CW 360Top Angular Up  
CW 45Top Horizontal  
CW 90Top Angular Down  
CW 135Down Blast  
CW 180Bottom Angular Down  
CW 225Bottom Horizontal  
CW 270Bottom Angular 1  
CW 315

FORM RP-1